PRODUCT CODE: 90012-1K

TRAINING BASE SET FOR LITTLE ASTRONAUTS WITH SLIDES

COSMIC



DEVICE DATA

PROJECTION AND VIEW OF THE DEVICE

The device is difficult to access

Compliance with the PN-EN standard: 1176-1:2024-03

Number of users: 59

Age group: 5+

Width: 9.25 m

Length : 11.90 m


Height: 3.70 m


Minimum space required: 12.40×15.78m

Free fall height: 2.20 m

Fall area: 139.75 m2

Foundation depth: -0.60 m





COMPONENTS

Double tower without roof, platform height 0.90 m: 1 pc. Double tower without roof, platform height 1.36 m: 2 pcs. Single tower with roof, platform height 0.90 m: 3 pcs. Single tower with roof, platform height 1.36 m: 3 pcs. Rocket roof: 6 pcs. Diagonal entrance rope fence, height 0.90 m: 1 pc. Vertical rope net, height 1.80 m: 1 pc. Narrow vertical rope net, height 2.20 m: 1 pc. Wide vertical rope net, height 2.20 m: 1 pc. Vertical rope play with steps, height 2.20 m: 1 pc. Wide horizontal rope net: 1 pc. Narrow horizontal rope net: 1 pc. Vertical agility ropes: 1 pc. Climbing ropes, height 2.20 m: 2 pcs. Vertical ladder: 8 pcs. Horizontal Ladder: 1 pc. Arch ladder: 1 pc. Straight rope bridge: 1 pc. Inclined rope bridge: 1 pc. Straight bridge with platform: 1 pc. Fire pipe, height 1.36 m: 1 pc. **Double fire pipe with ladder, height 1.36 m:** 1 pc. Single fire pipe with ladder, height 0.90 m: 1 pc.

Tunnel passage: 1 pc.

Single horizontal gymnastic bar: 1 pc.

Double horizontal gymnastic bars: 2 pcs.

Straight-line rope interlacing, height 2.20 m: 1 pc.

Wide climbing wall, height 2.20 m: 1 pc.

Diagonal entrance gangway, height 1.36 m: 1 pc.

Slide, height 0.90 m: 1 pc.

Slide, height 1.36 m: 1 pc.

TECHNOLOGY

Structural columns: square steel profiles, cross-section 80x80mm, hot-dip galvanized and powder coated

Roof elements: HDPE board, 15mm thick, dyed throughout

Platforms: waterproof plywood, 15mm thick, with a dark brown hexagonal anti-slip layer, mounted on joists made of 60x40mm cross-section steel profiles, galvanized, unpainted

Steel elements: hot-dip galvanized steel, powder-coated

Ropes: multi-strand polypropylene, with a steel core, Ø 16mm

Slide: sides made of 15mm thick HDPE board, slide made of 1.5mm thick AISI304 stainless steel sheet

Tunnel: PVC pipe ø 600mm; attached to HDPE boards

Climbing wall: handles made of resin-based material , attached to 15mm thick waterproof plywood with an anti-slip layer

Caps: system caps made of plastic, dimensions adapted to the mounting screws used

Foundations: wet poured foundation footings, made of concrete class C12/15 or better

Due to continuous improvement of technical solutions, the presented drawings, including colors and dimensions, may differ slightly from the currently manufactured devices.