PRODUCT CODE: NBZ02-0M-LM-YL-CM

FRESH 2.0 SET - LIME YELLOW, METAL BEIGE

**FRESH** 



## **DEVICE DATA**

# **PROJECTION AND VIEW OF THE DEVICE**

## Easily accessible device

Compliance with the PN-EN 1176-1:2024-03 standard

Number of users: 14

Age group: +1

Width: 2.89 m

**Length** : 2.72 m


Height: 2.50 m


Minimum space required :  $6.37 \times 5.55 \text{ m}$ 

Free fall height: 0.90 m

Fall area: 25.54 m<sup>2</sup>

Foundation depth: -0.60 m





## **COMPONENTS**

Tower with roof, platform height 0.90 m: 2 pcs.

Slide, height 0.90 m: 1 pc.

Fire pipe, height 0.90 m: 1 pc.

Climbing wall, height 0.90 m: 1 pc.

Vertical ladder, height 0.90 m: 1 pc.

Rope bridge: 1 pc.

Sound tube: 1 pc.

## **TECHNOLOGY**

Structural legs: steel profiles 60x60mm, hot-dip galvanized, powder coated

System connector: A380 aluminum alloy casting

Roof elements: HDPE boards, 15 mm thick, HPL boards, 8 mm thick

Platforms: waterproof plywood , with a non-slip layer in a "hexa" pattern

Metal elements: galvanized steel, powder coated

**Slide:** sides made of 15mm thick HDPE board, slide made of 1.5mm thick AISI304 stainless steel sheet, fastened with Ericsson nuts

Climbing wall: HPL board, 8mm thick, anti-slip

**Ropes:** multi-strand polypropylene, with a steel core,  $\emptyset$  16mm, connected by means of polyamide system connectors and aluminum alloy and stainless steel fittings

Teaching panels: maintenance-free composite element

Caps: system plastic caps

Foundations: concrete class at least C12/15

Due to continuous improvement of technical solutions, the presented drawings, including colors and dimensions, may differ slightly from the currently manufactured

devices.