PRODUCT CODE: NBZ04-0M-LM-YL-CM

FRESH 4.0 SET - LIME YELLOW, METAL BEIGE

FRESH



DEVICE DATA

PROJECTION AND VIEW OF THE DEVICE

A device with easily and hard-to-reach elements

Compliance with the PN-EN 1176-1:2024-03 standard

Number of users: 28

Age group: +1

Width: 2.88 m

Length : 4.17 m


Height: 2.20 m


Minimum space required: 7.65 x 5.82 m

Free fall height: 0.60 m

Fall area : 49.89 m²

Foundation depth: -0.60m





COMPONENTS

Tower with roof, platform height 0.60 m: 2 pcs.

Tower with roof, platform height 0.30 m: 2 pcs.

Tower without roof, platform height 0.30 m: 2 pcs.

Slide, height 0.60 m: 1 pc.

Climbing wall, height 0.60 m: 1 pc.

Rope bridge with plates: 1 pc.

Horizontal rope ladder: 1 pc.

Shop counter: 2 pcs.

Abacus: 1 pc.

Sliding Panel: 1 pc

Rotating educational panel: 1 pc

Educational panel: 1 pc.

TECHNOLOGY

Structural legs: steel profiles 60x60mm, hot-dip galvanized , powder coated

System connector: A380 aluminum alloy casting

Roof elements: HDPE boards, 15 mm thick, HPL boards, 8 mm thick

Platforms: waterproof plywood , with a non-slip layer in a "hexa" pattern

Metal elements: galvanized steel, powder coated

Slide: sides made of 15mm thick HDPE board, slide made of 1.5mm thick AISI304 stainless steel sheet, fastened with Ericsson nuts

Climbing wall: HPL board, 8mm thick, anti-slip

Ropes: multi-strand polypropylene, with a steel core, \emptyset 16mm, connected by means of polyamide system connectors and aluminum alloy and stainless steel fittings

Teaching panels: maintenance-free composite element

Caps: system plastic caps

Foundations: concrete class at least C12/15

Due to continuous improvement of technical solutions, the presented drawings, including colors and dimensions, may differ slightly from the currently manufactured devices.

-3/3-