PRODUCT CODE: NBZ09-0M-LM-YL-CM

FRESH 9.0 SET - LIME YELLOW, METAL BEIGE

FRESH



DEVICE DATA

PROJECTION AND VIEW OF THE DEVICE

Easily accessible device

Compliance with the PN-EN 1176-1:2024-03 standard

Number of users: 26

Age group: +1

Width: 3.75 m

Length: 3.48 m


Height: 2.20 m


Minimum space required : $6.35 \times 7.25 \text{ m}$

Free fall height: 0.60 m

Fall area: 34.89 m²

Foundation depth: -0.60m





COMPONENTS

Tower with roof, platform height 0.30 m: 1 pc.

Tower without roof, platform height 0.30 m: 2 pcs.

Tower without roof, platform height 0.30 m: 1 pc.

Triangular tower, platform height 0.30 m: 4 pcs.

Slide, height 0.60 m: 1 pc.

Tunnel passage: 1 pc.

Jumping posts: 7 pcs.

Shop counter: 2 pcs.

Abacus: 1 pc.

Labyrinth panel: 1 pc.

Frog and Fly Panel: 1 pc.

Passage panel: 1 pc.

TECHNOLOGY

 $\textbf{Structural legs:} \ \text{steel profiles } 60\text{x}60\text{mm, hot-dip galvanized , powder coated}$

System connector: A380 aluminum alloy casting

Roof elements: HDPE boards, 15 mm thick, HPL boards, 8 mm thick

Platforms: waterproof plywood , with a non-slip layer in a "hexa" pattern

Metal elements: galvanized steel, powder coated

Slide: sides made of 15mm thick HDPE board, slide made of 1.5mm thick AISI304 stainless steel sheet, fastened with Ericsson nuts

Tunnel: PVC pipe ø 600mm, attached to 15mm thick HDPE boards

Teaching panels: maintenance-free composite element

Caps: system plastic caps

Foundations: concrete class at least C12/15

Due to continuous improvement of technical solutions, the presented drawings, including colors and dimensions, may differ slightly from the currently manufactured devices