PRODUCT CODE: 3XI22-YL-MNT

SLIDE PLAY SET - MINT YELLOW

ROLLMAGINE



DEVICE DATA

PROJECTION AND VIEW OF THE DEVICE

Easily accessible device

Compliance with the PN-EN standard: 1176-1:2024-03

Number of users: 20

Age group: +3

Width: 6.05 m

Length: 6.88m


Height: 4.05 m


Minimum space required: 9.09 x 9.39m

Free fall height: 2.00m

Fall area: 54.10 m2

Foundation depth: -0.60 m





COMPONENTS

Tower on a circular plan 2800 - 1 pc.

Stairs, height 2.00 m - 1 pc.

Tubular slide, height 2.00 m - 1 pc.

Downhill pipes, height 2.00 m - 1 pc.

Fire pipe, height 2.00 m - 1 pc.

Arched climbing wall - 1 pc.

Arched openwork panel with slats - 1 pc.

Full arched panel with transition - 1 pc.

Manual arch panel - 1 pc.

Manual flat panel - 1 pc.

TECHNOLOGY

Vertical structure: pipes Ø101.6×4.5 mm, galvanized, powder coated

Horizontal structure: 80x40x4mm profiles, galvanized, powder coated

Platforms: anti-slip HPL board

Complementary metal elements: galvanized steel, powder coated

Arched decorative panel with slats: black steel structure, galvanized, powder coated, filled with slats

Lamellas: planed boards, protected against weathering. Wood with a minimum Brinell hardness of Class III.

Full arched panel: black steel construction, galvanized, powder coated, HDPE 15mm thick

Manual panel: maintenance-free composite element

Transition in arched panels: plastic formed by rotational molding, attached to a flange made of black, galvanized and powder-coated steel

Climbing wall: black galvanized steel construction, coated with anti-slip rubber, with climbing grips handles made of resin-based material.

Foundations: concrete class at least C20/25

Roof: black steel structure, galvanized, powder coated, perforated aluminum sheet (alternatively stainless steel), polycarbonate

Slide: rotomolded plastic (optional stainless steel)

Downhill pipes: stainless steel

End caps: plastic

Due to continuous improvement of technical solutions, the presented drawings, including colors and dimensions, may differ slightly from the currently manufactured devices.

-3/3-