PRODUCT CODE: 3XI28-YL-MNT

**WATCHTOWER SET - MINT YELLOW** 

**ROLLMAGINE** 



# **DEVICE DATA**

# **PROJECTION AND VIEW OF THE DEVICE**

## The device is difficult to access

Compliance with the PN-EN standard: 1176-1:2024-03

Number of users: 50

Age group: +3

**Width**: 5.61 m

**Length**: 10.03 m


**Height**: 8.05 m


Minimum space required: 8.11 mx 12.06 m

Free fall height: 2.00 m

Fall area : 54.55 <sup>m2</sup>

Foundation depth: -1.20 m





#### **COMPONENTS**

Tower on a circular plan 2800 - 1 pc.

Viewing platform - 1 pc.

Tubular slide, height 1.00 m - 1 pc.

Tubular slide, height 2.00 m - 1 pc.

Tubular slide, height 4.00 m - 1 pc.

Full arched panel - 1 pc.

Arched transparent panel - 4 pcs.

Arched openwork panel with slats - 7 pcs.

### **TECHNOLOGY**

Vertical structure: pipes Ø101.6×4.5 mm, galvanized, powder coated

Horizontal structure: 80x40x4mm profiles, galvanized, powder coated

Platforms: anti-slip HPL board

Complementary metal elements: galvanized steel, powder coated

Arched decorative panel with slats: black steel structure, galvanized, powder coated, filled with slats

Lamellas: planed boards, protected against weathering. Wood with a minimum Brinell hardness of Class III.

Transparent panel: black steel structure, galvanized, powder coated, polycarbonate filling

**Transition in arched panels:** plastic formed by rotational molding, attached to a flange made of black, galvanized and powder-coated steel

**Roof:** black steel structure, galvanized, powder coated, perforated aluminum sheet (alternatively stainless steel), polycarbonate

Slide: rotomolded plastic (optional stainless steel)

End caps: plastic

Foundations: concrete class at least C20/25

Due to continuous improvement of technical solutions, the presented drawings, including colors and dimensions, may differ slightly from the currently manufactured devices.