

8001

ECO



SOCIALIZING



CLIMBING




SLIDING



INFORMATION ABOUT THE PRODUCT

Dimensions	364 x 394 cm
Safety zone	671 x 744 cm
Safety zone area	34 m ²
Overall height	312 cm
Free fall height	90 cm
Amount of users	15
Product complies with EN 1176-1:2017	YES
Availability of spare parts	YES
Age range	3-12





According to EN 1176-1:2017 norm, the product requires applying a safety surface according to the product's free fall height.



8001



MATERIALS:

SOFT CONIFER WOOD CORELESS, GLUED IN LAYERS WITH POLYURETHANE GLUES, TOTALLY RESISTANT TO WATER.	WOODEN POSTS ANCHORED TO THE GROUND WITH POWDER GALVANIZED AND POWDER COATED STEEL ANCHORS.	PLATES OF THE WALLS MADE OF COLOURFUL TRIPLE LAYERED 15 MM HDPE POLYETHYLENE, IN THE HIGHEST QUALITY, TOTALLY DAMP-PROOF.	HEMISPHERIC WINDOW WITH A DIAMETER OF 400 MM.	POLIPROPYLENE ROPES PPMULTISPLIT TYPE WITH A STEEL CORE AND A DIMETER OF 16 MM.	
					
ANTI-SLIP ANTHRACITE 10MM HPL PLATFORM PLATE WITH A VERY HIGH RESISTANCE TO WEATHER CONDITIONS AND ATTRITION.	SLIDES MADE OF STAINLESS STEEL AISI 304. METAL SHEET WITH A THICKNESS OF 2 MM FORMED IN A CNC TECHNIQUE.	PATENTED SYSTEM OF CONNECTORS AND CLAMPS MADE OF STRONG ALUMINIUM ALLOY.	SOLID AND ESTHETIC ROPE CONNECTORS MADE OF INJECTION MOLDED POLYAMIDE.	CONNECTING ELEMENTS LIKE SCREWS, NUTS, WASHERS MADE OF STAINLESS STEEL.	THE WINDOWS ARE MADE OF SAFE POLYCARBONATE 8 MM THICK.
